


FR-70 Series Self-loading coil trailer





FR-70 Series Self-loading coil trailer





FR-70 Lifting Pipe from Gathering Area





FR-70 Transporting pipe coil





FR-70 Stringing pipe





FR-70 Specifications

Trailer specifications	Metric	Imperial
Trailer Weight (without load)	6800 kg	15,000 lbs
Height (boom fully stowed without lift device)	3.35 m	11 ft
Height (boom fully stowed without coil)	3.80 m	12.5 ft
Height (boom stowed in central position)	4.30 m	14 ft
Width (without load)	2.90 m	9.5 ft
Width (with load stowed properly)	3.65 m	12 ft
Length	8.25 m	27 ft
Gross Axel Weight Rating (per axel)	5,450 kg	12,000 lbs
Gross Axel Weight Rating (total)	10,900 kg	24,000 lbs
Maximum Load Weight	5,670 kg	12,500 lbs
Maximum Coil Diameter	3.65 m	12 ft
Maximum Coil Height (including pallet)	2.60 m	8.5 ft
Minimum Coil Inside diameter	2.5 m	8.2 ft
Maximum Transport Speed (without reel)	100 km/hr	60 mph
Maximum Transport Speed (with reel)	50 km/hr	30 mph
Approximate hitch weight with full load	2,500 kg	5,500 lbs
Crane specifications		
Maximum height during operation	6.0 m	20 ft
Maximum distance from trailer to lift point	2.5 m	8.2 ft
Maximum rated lift capacity	5,670 kg	12,500 lbs

